



## SAFETY DATA SHEET

according to Regulation (EU) No. 1907/2006

112000023100

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product information

Trade name : **MAKROLON 2807**  
Use : Production of moulded plastic articles

#### Company

Bayer MaterialScience AG  
BMS-IO-HSEQ-PSI (Product Safety)  
51368 Leverkusen

Tel.: +49 214 30 25026  
Fax: +49 214 30 50035  
Email: productsafety@bayerbms.com  
Im Notfall: +49 214 30 99300 (Sicherheitszentrale Bayer)

### 2. HAZARDS IDENTIFICATION

Not a product dangerous for health or the environment according to the definition of EC Directives 2006/121/EC or 1999/45/EC and their valid adaptations and derived national regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Polycarbonate based on bisphenol A

### 4. FIRST AID MEASURES

**In case of skin contact:** CONTACT WITH THE HOT MELT: Cool immediately with plenty of water. Do not remove product crusts which may have formed neither forcibly nor by applying any solvents to the skin involved. To obtain treatment for possible burns, and appropriate skin care, seek medical advice immediately.

The following information refers to the handling of the product at room temperature. In case of skin contact wash affected areas thoroughly with soap and plenty of water.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** sprayed water jet, extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen



## SAFETY DATA SHEET

112000023100

according to Regulation (EU) No. 1907/2006

**MAKROLON 2807**

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

cyanide. In the event of fire and/or explosion do not breathe fumes.

Firemen must wear self-contained breathing apparatus.

Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** slip hazard!

**Methods for cleaning up:** Use mechanical handling equipment. Avoid dust formation.

**Additional advice:** For further disposal measures see chapter 13.

**7. HANDLING AND STORAGE****Handling**

Under recommended processing conditions small amounts of residues of monomers and residual solvent may be emitted. Provided good ventilation and/or local exhaust systems are used, the Workplace Exposure Limit(s) stated in Chapter 8 should not be exceeded.

Dust must be removed by effective exhaust ventilation.

**Storage**

No special storage conditions required.

VCI storage class (VCI = German Association of the Chemical Industry): 11

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures. In our experience the provision of effective fresh-air and exhaust ventilation equipment at the points where vapors may be generated will ensure compliance with the tolerance limits quoted below.

Substance	CAS-No.	Basis	Type	Value	Ceiling Limit Value	Remarks
phenol	108-95-2	TRGS 900		2 ppm 7,8 mg/m <sup>3</sup>		Dermal absorption possible
phenol	108-95-2	EU ELV	TWA	2 ppm 7,8 mg/m <sup>3</sup>		Dermal absorption possible

## SAFETY DATA SHEET

112000023100

according to Regulation (EU) No. 1907/2006

**MAKROLON 2807**

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

chlorobenzene	108-90-7	TRGS 900		10 ppm 47 mg/m <sup>3</sup>	2	If in compliance with the OEL and BEL values, then there should be no risk of reproductive damage.
chlorobenzene	108-90-7	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
chlorobenzene	108-90-7	EU ELV	TWA	5 ppm 23 mg/m <sup>3</sup>		
chlorobenzene	108-90-7	EU ELV	STEL	15 ppm 70 mg/m <sup>3</sup>		
4-tert-butylphenol	98-54-4	TRGS 900		0,08 ppm 0,5 mg/m <sup>3</sup>	2	Dermal absorption possible
4-tert-butylphenol	98-54-4	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	TRGS 900	STEL CL			Category I: substances for which the localized effect has an assigned OEL respiratory passages.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	TRGS 900		5 mg/m <sup>3</sup>	1	If in compliance with the OEL and BEL values, then there should be no risk of reproductive damage.
General limiting value of dust		TRGS 900		10 mg/m <sup>3</sup>	2	inhalable fraction
General limiting value of dust		TRGS 900		3 mg/m <sup>3</sup>	2	alveolar fraction
General limiting value of dust		TRGS 900	STEL CL			Category II: substances with a resorptive effect.

**Respiratory protection:**

In case of dust formation use respiratory equipment with filter type particle filter P1 according to EN 143.

**Hand protection:**

Suitable materials for safety gloves; EN 374-3:  
Polyvinyl chloride - PVC ( $\geq 0.5$  mm)  
Contaminated and/or damaged gloves must be changed.

**Eye protection:**

Wear eye/face protection.

**Skin and body protection:**

Wear suitable protective clothing.

**Hygiene measures:**

Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at end of work and use skin-protecting ointment. Change contaminated clothing.



## SAFETY DATA SHEET

112000023100

according to Regulation (EU) No. 1907/2006

**MAKROLON 2807**

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Colour:	different according to colouration
Form:	granular
Odour:	odourless
Softening point:	> 130 - 160 °C
Decomposition temperature:	>= 380 °C
Density:	ca. 1,2 - 1,4 g/cm <sup>3</sup>
Bulk density:	600 - 700 kg/m <sup>3</sup>
Vapour pressure:	not applicable
Viscosity, dynamic:	not applicable
Water solubility:	practically insoluble
pH:	not applicable
Ignition temperature:	> 450 °C
Autoignition temperature:	not applicable
Explosion limits:	not applicable

**10. STABILITY AND REACTIVITY**

**Hazardous reactions:** No hazardous reactions observed.

**Hazardous decomposition products:** Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO<sub>2</sub> may be developed.

**Thermal decomposition:** Fumes evolved by overheating during improperly processing or by burning may be injurious to health.

**11. TOXICOLOGICAL INFORMATION**

Under recommended processing conditions small amounts of emissions may occur.

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures.

Substance	CAS-No.	R-phrases
phenol	108-95-2	R68 Possible risk of irreversible effects. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R34 Causes burns.
chlorobenzene	108-90-7	R20 Harmful by inhalation.

**SAFETY DATA SHEET**

112000023100

according to Regulation (EU) No. 1907/2006

**MAKROLON 2807**

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

4-tert-butylphenol	98-54-4	R36/37/38 Irritating to eyes, respiratory system and skin.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	R62 Possible risk of impaired fertility. R37 Irritating to respiratory system. R41 Risk of serious damage to eyes. R43 May cause sensitization by skin contact.

**Additional information:**

According to our experience and information the product has no harmful effects on health if properly handled.

**12. ECOLOGICAL INFORMATION**

Do not allow to escape into waterways, wastewater or soil.

**Additional information on ecotoxicology:**

The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. The product is not readily biodegradable.

**13. DISPOSAL CONSIDERATIONS**

Dispose in accordance with applicable international, national and local laws, ordinances and statutes.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

The product is suitable for mechanical recycling. After appropriate treatment it can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

**14. TRANSPORT INFORMATION**

<b>ADR/RID</b>	Not dangerous goods
<b>ADNR</b>	Not dangerous goods
<b>IATA</b>	Not dangerous goods
<b>IMDG</b>	Not dangerous goods



## SAFETY DATA SHEET

112000023100

according to Regulation (EU) No. 1907/2006

### MAKROLON 2807

Version 1.1

Revision Date 17.07.2009

Print Date 18.07.2009

---

Other information : Not dangerous cargo.  
Keep dry.

---

## 15. REGULATORY INFORMATION

No labeling necessary according to EC Directives 2006/121/EC or 1999/45/EC and their valid adaptations and derived national regulations.

### National legislation

**Water contaminating class (Germany):** nw not water endangering  
(in accordance with Annex 1 to the Directive on Water-Hazardous Substances)

---

## 16. OTHER INFORMATION

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.