

1/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BISCAYA OD240 12X1L BOT IL

Product code (UVP) 79674910, 84421804

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG

Kaiser-Wilhelm-Allee 1 51373 Leverkusen

Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration

+49(0)2173-38-3409 (during business hours only)

Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 1B

H360FD May damage fertility. May damage the unborn child.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.

Acute toxicity: Category 4

H302 Harmful if swallowed.

Skin irritation: Category 2

H315 Causes skin irritation.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure: Category 3 H336 May cause drowsiness or dizziness.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.



2/11

BISCAYA OD240 12X1L BOT IL

 Version 5 / EU
 Revision Date: 13.01.2017

 102000021774
 Print Date: 08.01.2018

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Thiacloprid







Signal word: Danger

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.

H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Restricted to professional users.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P201 Obtain special instructions before use.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician. P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD) Thiacloprid 240 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Thiacloprid	111988-49-9	Acute Tox. 3, H301 Acute Tox. 4, H332 Carc. 2, H351	23,1



3/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

		STOT SE 3, H336 Repr. 1B, H360FD Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Fatty alcohol ethoxylate	68131-39-5 500-195-7	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	> 0,25 - < 2,5
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Aquatic Chronic 3, H412	> 1 – < 25
2,6-Di-tert-butyl-4- methylphenol	128-37-0 204-881-4 01-2119555270-46-xxxx	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,1 - < 0,25

Further information

Thiacloprid	111088-40-0	M-Factor: 100 (acute), 100 (chronic)
THIAGIOPHU	111300-43-3	IVI-I actor. Too (acute), Too (critoriic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists,

see an ophthalmologist.

Ingestion Call a physician or poison control center immediately. Rinse mouth.

Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour.

(Vomit should not get into the respiratory tract.)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Nausea, Vomiting, Diarrhoea, Salivation, Headache, Dizziness, Confusion, Restlessness, Bradycardia, Tachycardia, Coma,

Hypotension, Respiratory paralysis

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed



4/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

Treat symptomatically. Monitor: respiratory and cardiac functions.

Oxygen or artificial respiration if needed. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.



5/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

Advice on protection against fire and explosion

No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

Coex HDPE/EVOH Coex HDPE/PA

Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiacloprid	111988-49-9	0,34 mg/m3 (TWA)		OES BCS*
2,6-Di-tert-butyl-4- methylphenol	128-37-0	2 mg/m3 (TLV)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with an organic vapours and gas filter mask

(protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum

thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).



6/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form dispersion

Colour white

Odour weak, characteristic

pH 5,0 - 8,0 at 1 % (23 °C) (deionized water)

Flash point >100 °C

Auto-ignition temperature 410 °C

Density ca. 1,04 g/cm³ at 20 °C

Water solubility dispersible

Partition coefficient: n-

octanol/water

Thiacloprid: log Pow: 1,26 at 20 °C

Viscosity, dynamic <= 700 mPa.s at 20 °C Velocity gradient 7,5 /s

Surface tension 23 mN/m at 25 °C

Determined in the undiluted form.

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to prescribed instructions.



7/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 500 - < 1.000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 0,846 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kg

Test conducted with a similar formulation.

Skin irritation Irritating to skin. (Rabbit)

Test conducted with a similar formulation.

Eye irritation Irritating to eyes. (Rabbit)

Test conducted with a similar formulation.

Sensitisation Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - repeated exposure

Thiacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Thiacloprid was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Thiacloprid caused at high dose levels an increased incidence of tumours in rats in the following organ(s): uterus, Thyroid.

Thiacloprid caused at high dose levels an increased incidence of tumours in mice in the following organ(s): ovaries. The tumours seen with Thiacloprid were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

Assessment toxicity to reproduction

Thiacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Thiacloprid caused difficulties in parturition in rats. The mechanism of action for this effect is not considered to be relevant to man.

Assessment developmental toxicity

Thiacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Thiacloprid are related to maternal toxicity.



8/11

BISCAYA OD240 12X1L BOT IL

 Version 5 / EU
 Revision Date: 13.01.2017

 102000021774
 Print Date: 08.01.2018

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 32,8 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC15 (Chironomus riparius (non-biting midge)) 8,0 μg/l

Exposure time: 28 d

Test conducted with a similar formulation.

EC50 (Daphnia magna (Water flea)) >= 85,1 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) 96,7 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient.

12.2 Persistence and degradability

Biodegradability Thiacloprid:

Not rapidly biodegradable

Koc Thiacloprid: Koc: 615

12.3 Bioaccumulative potential

Bioaccumulation Thiacloprid:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Thiacloprid: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Thiacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



9/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU

102000021774

Revision Date: 13.01.2017
Print Date: 08.01.2018

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging
Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazard no. 90
Tunnel Code E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIACLOPRID SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.



10/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.H302 Harmful if swallowed.H318 Causes serious eye damage.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)
Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail



11/11

BISCAYA OD240 12X1L BOT IL

Version 5 / EU Revision Date: 13.01.2017 102000021774 Print Date: 08.01.2018

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Section 2: Hazards Identification. Section 3: Composition / Information

on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.