

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

1/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Trade name Antracol 70 WP

Product code (UVP) 04479696

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

### 1.3 Details of the supplier of the safety data sheet

Supplier Liad Agro Ltd,  
West Ind. Zone, 3 Amal St. Beth Shemesh Israel 9910302  
(Bayer AG, Kaiser-Wilhelm-Allee 1 51373 Leverkusen Germany)

Telefax +972(2)9913145

Responsible Department Substance Classification & Registration  
+49(0)2173-38-3409 (during business hours only)  
Email: BCS-SDS@bayer.com

### 1.4 Emergency telephone no.

Emergency telephone no. For emergencies in hazardous materials incidents, call Hotline 100 or 102.  
The Environmental Hotline of the Ministry of Environmental Protection is at your disposal 24 hours a day for urgent environmental reports.  
Tel: 073-2733200 or: 6911 \*

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

2/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

- Propineb



Signal word: Warning

#### Hazard statements

H332	Harmful if inhaled.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

#### Precautionary statements

P260	Do not breathe dust or mist.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container as hazardous waste to an approved waste disposal plant.

#### 2.3 Other hazards

May form explosible dust-air mixture if dispersed.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Wettable powder (WP)  
Propineb 700g/kg

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Propineb	9016-72-2	Skin Sens. 1, H317 Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	70,00
Hexamethylenetetramine	100-97-0 202-905-8 01-2119474895-20-XXXX	Skin Sens. 1B, H317 Flam. Sol. 2, H228	>= 0,1 – < 1,0

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

3/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

#### Further information

Propineb	9016-72-2	M-Factor: 10 (acute), 1 (chronic)
----------	-----------	-----------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** Symptoms reinforced by alcohol (Antabuse effect)

### 4.3 Indication of any immediate medical attention and special treatment needed

**Risks** This product is not a cholinesterase inhibitor.

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Contraindication: atropine. There is no specific antidote. Follow-up measures: Strict abstinence from alcohol for 1 to 2 weeks, due to antabuse effect.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

4/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

---

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Avoid dust formation.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. Avoid dust formation.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing. Avoid dust formation.

**Advice on protection against fire and explosion** Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

5/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propineb	9016-72-2	0,2 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

#### General protective measures

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

6/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	powder
<b>Colour</b>	beige
<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	4,0 - 8,0 (1 %) (23 °C) (deionized water)
<b>Melting point/range</b>	ca. 135 °C
<b>Boiling Point</b>	No data available
<b>Flash point</b>	No data available
<b>Flammability</b>	The product is not highly flammable.
<b>Auto-ignition temperature</b>	No data available
<b>Ignition temperature</b>	The product is not self-ignitable.
<b>Minimum ignition energy</b>	> 10 mJ MIE Cluster evaluated acc. to BTS report 2016/00141a
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Dust explosion class</b>	capable of causing a dust explosion (modified Hartmann tube, ignition with continuous spark generator)
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Density</b>	No data available
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Propineb: log Pow: < 3
<b>Viscosity, kinematic</b>	No data available
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Burning number</b>	CN3 Local combustion without spreading
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

7/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**Self heating** not self-heating

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Acids  
Store only in the original container.

**10.6 Hazardous decomposition products** Hydrogen sulfide  
Carbon disulphide

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2.000 mg/kg

**Acute inhalation toxicity** LC50 (Rat) ca. 5,040 mg/l  
Determined in the form of a respirable fine dust.

**Acute dermal toxicity** LD50 (Rat) > 5.000 mg/kg

**Skin corrosion/irritation** No skin irritation (Rabbit)

**Serious eye damage/eye irritation** No eye irritation (Rabbit)

**Respiratory or skin sensitisation** Skin: Sensitising (Guinea pig)  
OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity – single exposure

Propineb: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Propineb caused specific target organ toxicity in experimental animal studies in the following organ(s): Peripheral nervous system, Thyroid. Propineb caused Muscular weakness in animal studies. The observed effects do not appear to be relevant for humans.

#### Assessment mutagenicity

Propineb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Propineb caused an increased incidence of tumours in mice in the following organ(s): Liver. The

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

8/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

#### Assessment toxicity to reproduction

Propineb caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Propineb is related to parental toxicity.

#### Assessment developmental toxicity

Propineb did not cause developmental toxicity in rabbits. Propineb caused developmental toxicity in rats only at dose levels toxic to the dams. The developmental effects seen with Propineb are related to maternal toxicity.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,4 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient propineb.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 1,5 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient propineb.
<b>Chronic toxicity to aquatic invertebrates</b>	EC10 (Chironomus riparius (non-biting midge)): 0,869 mg/l Exposure time: 28 d  NOEC (Daphnia magna (Water flea)): 0,480 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient propineb.
<b>Toxicity to aquatic plants</b>	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 0,022 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient propineb.  NOEC (Raphidocelis subcapitata (freshwater green alga)) 0,009 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient propineb.

### 12.2 Persistence and degradability

**Biodegradability** Propineb:  
rapidly biodegradable

**Koc** Propineb: Koc: 18

### 12.3 Bioaccumulative potential

**Bioaccumulation** Propineb:  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Propineb: Mobile in soils



## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

9/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

#### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Propineb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

#### 12.6 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

**Waste key for the unused product** 02 01 08\* agrochemical waste containing hazardous substances

## SECTION 14: TRANSPORT INFORMATION

### ADR/RID/ADN

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### IMDG

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

10/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

	(PROPINEB MIXTURE )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

## SECTION 16: OTHER INFORMATION

### Text of the hazard statements mentioned in Section 3

H228	Flammable solid.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

### Antracol 70 WP

Version 7 / EU  
102000007039

11/11

Revision Date: 11.02.2020

Print Date: 01.06.2021

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.