

1/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FLU+PYM SC 125+375 G U-WW

Product code (UVP) 84445908

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG

Kaiser-Wilhelm-Allee 1 51373 Leverkusen

Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration

+49(0)2173-38-3409 (during business hours only)

Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Pyrimethanil
- Fluopyram



Hazard statements

H411 Toxic to aquatic life with long lasting effects.



2/11

FLU+PYM SC 125+375 G

U-WW

Version 5 / EU Revision Date: 22.02.2017 102000017503 Print Date: 03.03.2017

EUH401 To avoid risks to human health and the environment, comply with the instructions for

ıse.

EUH208 Contains 1,2-benzisothiazolin-3-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-

methyl-4-isothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Fluopyram 125 g/l, Pyrimethanil 375 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification REGULATION (EC) No 1272/2008	Conc. [%]
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	11,3
Pyrimethanil	53112-28-0 414-220-3	Aquatic Chronic 2, H411	33,8
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9	Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317	> 0,005 - < 0,05
Mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one	55965-84-9	Skin Sens. 1, H317 Aquatic Chronic 1, H410 Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Acute 1, H400 Skin Corr. 1B, H314 Acute Tox. 3, H311	> 0,0002 - < 0,0015

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.



3/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Remove contaminated clothing

immediately and dispose of safely. Place and transport victim in stable

position (lying sideways).

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Call a physician or poison control center

immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is

no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

quipment for firefighters of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.



4/11

FLU+PYM SC 125+375 G

U-WW

Version 5 / EU

102000017503

Revision Date: 22.02.2017
Print Date: 03.03.2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a place accessible by authorized persons only. Store in original

container. Keep containers tightly closed in a dry, cool and well-

ventilated place. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fluopyram	658066-35-4	0,34 mg/m3		OES BCS*



5/11

FLU+PYM SC 125+375 G

U-WW

Version 5/EU Revision Date: 22.02.2017 102000017503 Print Date: 03.03.2017

		(TWA)	
Pyrimethanil	53112-28-0	5,6 mg/m3	OES BCS*
		(TWA)	

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

> breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min

> 0.4 mmGlove thickness Protective index Class 6

Directive Protective gloves complying with EN

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension Colour white to beige Odour characteristic

5.0 - 8.5 at 100 % (23 °C) Hq

Flash point No flash point - Determination conducted up to the boiling point.



FLU+PYM SC 125+375 G

U-WW

6/11 Version 5/EU Revision Date: 22.02.2017 102000017503 Print Date: 03.03.2017

Ignition temperature 560 °C

ca. 1,11 g/cm3 at 20 °C Density

Partition coefficient: n-

octanol/water

Fluopyram: log Pow: 3,3

Pyrimethanil: log Pow: 2,84

Viscosity, dynamic 220 - 350 mPa.s at 20 °C Velocity gradient 20 /s

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2.000 mg/kgAcute inhalation toxicity LC50 (Rat) > 1,973 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2.000 mg/kgSkin irritation No skin irritation (Rabbit) Eye irritation No eye irritation (Rabbit)

Sensitisation Non-sensitizing. (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Fluopyram: Based on available data, the classification criteria are not met.



7/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

Pyrimethanil: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Fluopyram did not cause specific target organ toxicity in experimental animal studies. Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment mutagenicity

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 10,56 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrimethanil.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2,9 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient pyrimethanil.

EC50 (Daphnia magna (Water flea)) > 20 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.



8/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 8,9 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient fluopyram. IC50 (Raphidocelis subcapitata (freshwater green alga)) 1,2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient pyrimethanil.

12.2 Persistence and degradability

Biodegradability Fluopyram:

Not rapidly biodegradable

Pyrimethanil:

Not rapidly biodegradable

Koc Fluopyram: Koc: 279

Pyrimethanil: Koc: 301

12.3 Bioaccumulative potential

Bioaccumulation Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

Pyrimethanil:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Fluopyram: Moderately mobile in soils

Pyrimethanil: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

Not relevant as no chemical safety report is necessary.

PBT and vPvB assessment Fluopyram: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Pyrimethanil: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging
Not completely emptied packagings should be disposed of as

hazardous waste.

Waste key for the unused

product

02 01 08* agrochemical waste containing dangerous substances



9/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environm. Hazardous Mark
Hazard no.
700
Tunnel Code
90
E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es)914.4 Packing groupIII14.5 Marine pollutantYES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PYRIMETHANIL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.



10/11

FLU+PYM SC 125+375 G

U-WW

Version 5 / EU

102000017503

Revision Date: 22.02.2017
Print Date: 03.03.2017

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number ECx Effective concentration to x % EC-No. European community number

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

Conc. Concentration

ICx

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation



11/11

FLU+PYM SC 125+375 G

U-WW

 Version 5 / EU
 Revision Date: 22.02.2017

 102000017503
 Print Date: 03.03.2017

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.