

Version 5 /

10200000790

+972 2 9903000 • [] lidorr.com
 אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## MYTHOS SC 300 G

U-WW

1/9 Revision Date: 18.09.2017 Print Date: 01.06.2021

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier		
Trade name	MYTHOS SC 300 G	U-WW
Product code (UVP)	05935415	
1.2 Relevant identified uses o	f the substance or mixture and use	es advised against
Use	Fungicide	
1.3 Details of the supplier of t	he safety data sheet	
Supplier	Liad Agro Ltd, West Ind. Zone, 3 Amal St. Beth Sho 9910302 (Bayer AG, Kaiser-Wilhelm-Allee 1 Leverkusen Germany)	
Telefax	+972(2)9913145	
Responsible Department	Substance Classification & Registrat +49(0)2173-38-3409 (during busines Email: BCS-SDS@bayer.com	
1.4 Emergency telephone no. Emergency telephone no.	For emergencies in hazardous mate 102. The Environmental Hotline of the Protection is at your disposal 24 hour reports. Tel: 073-2733200 or: 6911	he Ministry of Environmental urs a day for urgent environmental

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 3 H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

### Hazardous components which must be listed on the label:

• Pyrimethanil

### Hazard statements

- H412 Harmful to aquatic life with long lasting effects.EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
- EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

### **Precautionary statements**

P501 Dispose of contents/container in accordance with local regulation.



◊+972 2 9903000 • □ lidorr.com
 ◊ אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 ◊ West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## **MYTHOS SC 300 G**

Version 5 / 10200000790 U-WW

2/9 Revision Date: 18.09.2017 Print Date: 01.06.2021

## 2.3 Other hazards

No other hazards known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

### **Chemical nature**

Suspension concentrate (=flowable concentrate)(SC) 28,6 % Pyrimethanil (300 g/l)

### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Pyrimethanil	53112-28-0 414-220-3	Aquatic Chronic 2, H411	28,60
Lignin, alkali, reaction products with formaldehyde and sodium bisulfite	68512-35-6	Eye Irrit. 2, H319 STOT SE 3, H335	> 1,00 - < 20,00
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9	Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400	>= 0,0050 - < 0,050

### **Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.



## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

MYTHOS SC 300 G Version 5 / 102000000790	U-WW 3/9 Revision Date: 18.09.2017 Print Date: 01.06.2021
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.
4.2 Most important symptom	is and effects, both acute and delayed
Symptoms	No symptoms known or expected.
4.3 Indication of any immedi	ate medical attention and special treatment needed
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

## **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self- contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures		
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	



◊+972 2 9903000 • □ lidorr.com
 אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 Ø West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## **MYTHOS SC 300 G**

Version 5 / 10200000790 U-WW

**4/9** Revision Date: 18.09.2017 Print Date: 01.06.2021

## SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling		
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.	
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).	
7.2 Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.	
Advice on common storage	Keep away from food, drink and animal feedingstuffs.	
Suitable materials	HDPE (high density polyethylene)	
7.3 Specific end use(s)	Refer to the label and/or leaflet.	

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrimethanil	53112-28-0	5,6 mg/m3 (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance. Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,



## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## MYTHOS SC 300 G U-WW 5/9 Version 5 / 10200000790 Revision Date: 18.09.2017 Print Date: 01.06.2021

	drinking, smoking or using t Material Rate of permeability Glove thickness Protective index Directive	the toilet. Nitrile rubber > 480 min > 0,4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.	

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

···· ··· ··· ··· ··· ··· ··· ··· ··· ·	
Form	suspension
Colour	beige to light grey
Odour	almost odourless
рН	6,0 - 8,0 at 100 % (23 °C)
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Ignition temperature	> 600 °C
Auto-ignition temperature	The product is not self-ignitable.
Density	ca. 1,05 g/cm³ at 20 °C
Water solubility	dispersible
Partition coefficient: n- octanol/water	Pyrimethanil: log Pow: 2,84
Viscosity, dynamic	60 - 120 mPa.s at 20 °C Velocity gradient 100 /s
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

## 9.1 Information on basic physical and chemical properties

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
Thermal decomposition	> 150 °C Test conducted with a similar formulation.
10.2 Chemical stability	Stable under recommended storage conditions.



◊ +972 2 9903000 • □ lidorr.com
 ◊ אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 ◊ West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# MYTHOS SC 300 G U-WW

6/9 Revision Date: 18.09.2017 Print Date: 01.06.2021

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 5.000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 1,26 mg/l Highest attainable concentration. No deaths Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 4.000 mg/kg Test conducted with a similar formulation.
Skin irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation. Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Pyrimethanil: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Pyrimethanil did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

### Assessment mutagenicity

Pyrimethanil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Pyrimethanil was not carcinogenic in lifetime feeding studies in mice. Pyrimethanil caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

### Assessment toxicity to reproduction

Pyrimethanil did not cause reproductive toxicity in a two-generation study in rats.



◊+972 2 9903000 • □ lidorr.com
 ◊ אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 ◊ West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## **MYTHOS SC 300 G**

Version 5 / 10200000790 U-WW

7/9 Revision Date: 18.09.2017 Print Date: 01.06.2021

## Assessment developmental toxicity

Pyrimethanil did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### **Further information**

No further toxicological information is available.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity		
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l Exposure time: 96 h Test conducted with a similar formulation.	
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 10 mg/l Exposure time: 48 h Test conducted with a similar formulation.	
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 35 mg/l Exposure time: 96 h Test conducted with a similar formulation.	
12.2 Persistence and degradability		
Biodegradability	Pyrimethanil: Not rapidly biodegradable	
Кос	Pyrimethanil: Koc: 301	
12.3 Bioaccumulative potential		
Bioaccumulation	Pyrimethanil: Does not bioaccumulate.	
12.4 Mobility in soil		
Mobility in soil	Pyrimethanil: Moderately mobile in soils	
12.5 Results of PBT and vPvE	B assessment	
Not relevant as no chemical saf	ety report is necessary.	
PBT and vPvB assessment	Pyrimethanil: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
12.6 Other adverse effects		
Additional ecological information	No other effects to be mentioned.	

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods



◊+972 2 9903000 • □ lidorr.com
 אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 Ø West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

MYTHOS SC 300 G	U-WW 8/9
Version 5 /	Revision Date: 18.09.2017
10200000790	Print Date: 01.06.2021
Product	In accordance with current regulations and, if necessary, after

	consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Triple rinse containers. Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

## **SECTION 14: TRANSPORT INFORMATION**

### According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### 14.1 – 14.5 Not applicable.

**14.6 Special precautions for user** See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

## **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Further information**

WHO-classification: III (Slightly hazardous)

### 15.2 Chemical safety assessment

A chemical safety assessment is not required.

### **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms



◊ +972 2 9903000 • □ lidorr.com
 אזור תעשייה מערבי, העמל 3 , ת.ד. 1010 בית שמש 9910302 שמש
 Ø West Ind. Zone, 3 Amal st., P.O.B. 1010, Beth Shemesh 9910302

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

PYRIMETHANIL SC 300 G	U-WW	
Version 5 /		Revision Date

**9/9** Revision Date: 18.09.2017 Print Date: 01.06.2021

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
ΙΑΤΑ	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

## **Reason for Revision:** The following sections have been revised: Section 16: Other Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.