



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

1/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** TEMPRID SC365,4 24X250ML BOT BR  
**Product code (UVP)** 80212968

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer (Pty) Ltd.  
27 Wrench Road, P.O. Box 143  
1600 Isando  
South Africa

**Telephone** +27 (011) 921 5911

**Telefax** +27 (011) 921 5766

**Responsible Department** QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

**1.4 Emergency telephone no.**

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response Hotline (24h)** +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4  
H302 Harmful if swallowed.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**|| Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

**|| Hazard label for supply/use required.**

**Hazardous components which must be listed on the label:**

- Imidacloprid
- Beta-Cyfluthrin

**TEMPRID SC365,4 24X250ML BOT BR**Version 2 / ZA  
1020000258422/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019**Signal word:** Warning**Hazard statements**

H302 Harmful if swallowed.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1). May produce an allergic reaction.

**Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
 P391 Collect spillage.  
 P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)  
 Imidacloprid 243,6 g/l + Beta-Cyfluthrin 121,8 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Imidacloprid	138261-41-3	Acute Tox. 4, H302 Aquatic Chronic 1, H410 Aquatic Acute 1, H400	21,0
Beta-Cyfluthrin	1820573-27-0	Acute Tox. 2, H300, H330 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	10,5
reaction mass of 5-chloro-2-methyl-4-isothi azolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,0015 – < 0,015
Sulfonated aromatic polymer, sodium salt	68425-94-5	Eye Irrit. 2, H319	> 1 – < 10
Glycerine	56-81-5	Not classified	> 1



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

3/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

**Further information**

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
Beta-Cyfluthrin	1820573-27-0	M-Factor: 10.000 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

- General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
- Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
- Skin contact** Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
- Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
- Ingestion** Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms**
  - Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing
  - Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

- Risks** This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

4/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

**Treatment**

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Water spray, Foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical

**Unsuitable** None known.

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**TEMPRID SC365,4 24X250ML BOT BR**Version 2 / ZA  
1020000258425/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling****Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).**7.2 Conditions for safe storage, including any incompatibilities****Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.**Advice on common storage** Keep away from food, drink and animal feedingstuffs.**7.3 Specific end use(s)** Refer to the label and/or leaflet.**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0,7 mg/m <sup>3</sup> (TWA)		OES BCS*
Beta-Cyfluthrin	1820573-27-0	0,01 mg/m <sup>3</sup> (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	1995	ZA REL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.**Hand protection** Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Material Nitrile rubber  
Rate of permeability > 480 min  
Glove thickness > 0,4 mm



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

6/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

Protective index                      Class 6  
Directive                                  Protective gloves complying with EN 374.

**Eye protection**                      Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**            Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

**Form**                                      suspension

**Colour**                                    white to beige

**Odour**                                    characteristic

**Odour Threshold**                      No data available

**pH**                                         6,0 - 8,0 (100 %) (23 °C)

**Flash point**                            >93,3 °C

**Minimum ignition energy**            Not applicable

**Upper explosion limit**                No data available

**Lower explosion limit**                No data available

**Vapour pressure**                      No data available

**Evaporation rate**                      No data available

**Relative vapour density**              No data available

**Density**                                 1,16 g/cm<sup>3</sup> ( 20 °C)

**Water solubility**                      dispersible

**Partition coefficient:  
n-octanol/water**                      Imidacloprid: log Pow: 0,57  
  
Beta-Cyfluthrin: log Pow: 6,18 (22 °C)

**Viscosity, dynamic**                    200 - 500 mPa.s ( 20 °C) Velocity gradient 20 /s  
150 - 300 mPa.s ( 20 °C) Velocity gradient 100 /s

**Explosivity**                              Not applicable

**9.2 Other information**                Further safety related physical-chemical data are not known.



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

7/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

---

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) > 1.044 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 2,03 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
highest concentration tested  
No deaths

LC50 (Rat) > 8,12 mg/l  
Exposure time: 1 h  
Determined in the form of liquid aerosol.  
Extrapolated from the 4 hr LC50.

**Acute dermal toxicity** LD50 (Rat) > 2.000 mg/kg

**Skin corrosion/irritation** slight irritation (Rabbit)

**Serious eye damage/eye irritation** Mild eye irritation. (Rabbit)

**Respiratory or skin sensitisation** Skin: Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Buehler test

**Assessment STOT Specific target organ toxicity – single exposure**

Imidacloprid: Based on available data, the classification criteria are not met.

Beta-Cyfluthrin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

**Assessment mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**TEMPRID SC365,4 24X250ML BOT BR**Version 2 / ZA  
1020000258428/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019**Assessment carcinogenicity**

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.  
Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.  
Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

**Assessment developmental toxicity**

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.  
Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0,000068 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient beta-cyfluthrin.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 85 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) 0,00029 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient beta-cyfluthrin.

**Toxicity to aquatic plants**

EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Desmodesmus subspicatus (green algae)) > 0,01 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient beta-cyfluthrin.  
No acute toxicity was observed at its limit of water solubility.

**12.2 Persistence and degradability****Biodegradability**

Imidacloprid:  
Not rapidly biodegradable  
Beta-Cyfluthrin:  
Not rapidly biodegradable

**Koc**

Imidacloprid: Koc: 225  
Beta-Cyfluthrin: Koc: 508 - 3179



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

9/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

**12.3 Bioaccumulative potential**

**Bioaccumulation** Imidacloprid:  
Does not bioaccumulate.  
Beta-Cyfluthrin: Bioconcentration factor (BCF) 506  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Imidacloprid: Moderately mobile in soils  
Beta-Cyfluthrin: Immobile in soil

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Beta-Cyfluthrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

---

**SECTION 14: TRANSPORT INFORMATION**

**SANS 10231**

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Environm. Hazardous Mark YES

**IMDG**

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packaging Group III  
14.5 Marine pollutant YES

**IATA**

14.1 UN number **3082**



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

10/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION )

14.3 Transport hazard class(es) 9

14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: II (Moderately hazardous)

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H300 Fatal if swallowed.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H310 Fatal in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard

EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %



**TEMPRID SC365,4 24X250ML BOT BR**

Version 2 / ZA  
102000025842

11/11  
Revision Date: 13.11.2018  
Print Date: 10.06.2019

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.