

Version 5 / 102000012886

1/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Trade name

	LUNA SENSATION SC 500
Product code (UVP)	84469882
1.2 Relevant identified uses o	f the substance or mixture and uses advised against
Use	Fungicide
1.3 Details of the supplier of t	he safety data sheet
Supplier	Bayer AG Kaiser-Wilhelm-Allee 1 51373 Leverkusen Germany
Telefax	+49(0)2173-38-7394
Responsible Department	Substance Classification & Registration +49(0)2173-38-3409 (during business hours only) Email: BCS-SDS@bayer.com
1.4 Emergency telephone no.	
Emergency telephone no.	Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4 H302 Harmful if swallowed.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Fluopyram
- Trifloxystrobin



Version 5 / 102000012886

2/11 Revision Date: 29.03.2017 Print Date: 17.07.2017



Signal word: Warning

Hazard statements

H302	Harmful if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains Trifloxystrobin, 1,2-benzisothiazolin-3-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Fluopyram/Trifloxystrobin 250:250 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]	
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008		
Fluopyram	658066-35-4 619-797-7	Aquatic Chronic 2, H411	21,37	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	21,37	
1,2-Benzisothiazol-3(2H)- one	2634-33-5 220-120-9	Skin Sens. 1, H317 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400	> 0,005 - < 0,05	
Mixture of: 5-chloro-2- methyl-4-isothiazolin-3- one and 2-methyl-4- isothiazolin-3-one	55965-84-9	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400	> 0,0002 - < 0,0015	



Version 5 / 102000012886

3/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

	Aquatic Chronic 1, H410	
Further information		

Trifloxystrobin141517-21-7M-Factor: 100 (acute)For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.
4.2 Most important sym	ptoms and effects, both acute and delayed
Symptoms	To date no symptoms are known.
4.3 Indication of any im	mediate medical attention and special treatment needed
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



Version 5 / 102000012886

4/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures		
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

SECTION 7: HANDLING AND STORAGE

7.1 Precautions	for	safe	handling
-----------------	-----	------	----------

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
7.2 Conditions for safe stora	age, including any incompatibilities
Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

	persons only. Keep away from direct sunlight. Protect from frost.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)



Version 5 / 102000012886

5/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fluopyram	658066-35-4	0,34 mg/m3 (TWA)		OES BCS*
Trifloxystrobin	141517-21-7	2,7 mg/m3 (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.	
Hand protection	breakthrough time which an Also take into consideration the product is used, such a contact time. Wash gloves when contam inside, when perforated or	tions regarding permeability and re provided by the supplier of the gloves. In the specific local conditions under which is the danger of cuts, abrasion, and the inated. Dispose of when contaminated when contamination on the outside cannot frequently and always before eating, the toilet. Nitrile rubber > 480 min > 0,4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



LUNA SENSATION SC 500

Version 5 / 102000012886

6/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
Form	suspension	
Colour	white to beige	
Odour	characteristic	
Odour Threshold	No data available	
рН	5,0 - 8,0 at 100 % (23 °C)	
Flash point	> 100 °C	
Ignition temperature	380 °C	
Minimum ignition energy	Not applicable	
Upper explosion limit	No data available	
Lower explosion limit	No data available	
Vapour pressure	No data available	
Evaporation rate	No data available	
Relative vapour density	No data available	
Density	ca. 1,17 g/cm³ at 20 °C	
Water solubility	suspensive	
Partition coefficient: n- octanol/water	Not applicable	
Partition coefficient: n- octanol/water	Fluopyram: log Pow: 3,3	
	Trifloxystrobin: log Pow: 4,5 at 25 °C	
Surface tension	38 mN/m at 25 °C Determined in the undiluted form.	
Oxidizing properties	No oxidizing properties	
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113	
9.2 Other information	Further safety related physical-chemical data are not known.	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.



Version 5 / 102000012886

7/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 2.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 1,7 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths
Acute dermal toxicity	LD50 (Rat) > 2.000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Fluopyram: Based on available data, the classification criteria are not met.

Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Fluopyram did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans. Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity. Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental



Version 5 / 102000012886

8/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

toxicity.

Assessment developmental toxicity

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,091 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0,086 mg/l Exposure time: 48 h
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 0,292 mg/l Growth rate; Exposure time: 72 h
12.2 Persistence and degrada	ability
Biodegradability	Fluopyram: Not rapidly biodegradable Trifloxystrobin: Not rapidly biodegradable
Кос	Fluopyram: Koc: 279 Trifloxystrobin: Koc: 2377
12.3 Bioaccumulative potenti	al
Bioaccumulation	Fluopyram: Bioconcentration factor (BCF) 18 Does not bioaccumulate. Trifloxystrobin: Bioconcentration factor (BCF) 431 Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Fluopyram: Moderately mobile in soils Trifloxystrobin: Slightly mobile in soils
12.5 Results of PBT and vPvE	3 assessment
PBT and vPvB assessment	Fluopyram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Additional ecological information	No other effects to be mentioned.



Version 5 / 102000012886

9/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TDIELOXYSTRODIN SOLUTION)
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark Hazard no. Tunnel Code	(TRIFLOXYSTROBIN SOLUTION) 9 III YES 90 E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es)	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION) 9
14.4 Packing group 14.5 Marine pollutant	III YES
	3083
14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIFLOXYSTROBIN SOLUTION)

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.



Version 5 / 102000012886

10/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed	
-------------------------	--

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
ECx	Effective concentration to x %
EC-No.	European community number
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
Conc.	Concentration
LCx	Lethal concentration to x %
LDx	Lethal dose to x %

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



LUNA SENSATION SC 500

Version 5 / 102000012886

11/11 Revision Date: 29.03.2017 Print Date: 17.07.2017

LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.